

# Patient Process Improvement In Healthcare Systems: Evidence On Medical Department Impact

Saleh Sadan Jaber Althaiban<sup>1</sup>, Mashan Ali Bin Mohammed Alsallum<sup>2</sup>, Eiman saeed AlAjyan<sup>3</sup>, Walla Saeed Ahmed Al Ahmed<sup>4</sup>, Ali Mahdey Attaf Alhutailah<sup>5</sup>, Amira Fahad Alharbi<sup>6</sup>, Salem Abdullah Minqash<sup>7</sup>, Mohammed Eidah Saed Aldaghaman<sup>8</sup>, Murtadha Abbas Al.Abbas<sup>9</sup>, Nasser Jumayyi Nahi<sup>10</sup>, Naif Saleh Al-Dhiryan<sup>11</sup>

<sup>1-6-8-11</sup>Ministry of Health, Saudi Arabia

<sup>7</sup>Armed Forces Hospital Southern Region

## Abstract

Improving patient processes has become a central priority for healthcare systems seeking to enhance care quality, safety, and efficiency amid growing demand and system complexity. Patient processes encompass the sequence of clinical, administrative, and supportive activities that patients experience from entry into the healthcare system through discharge and follow-up. Inefficiencies in these processes—often driven by fragmented workflows, departmental silos, and poor coordination—can lead to delays, errors, and reduced patient satisfaction. This review aims to synthesize existing evidence on the impact of medical departments on patient process improvement within healthcare systems. Drawing on empirical studies from diverse care settings, the review examines how departmental roles, interdepartmental coordination, and workflow optimization contribute to improved patient flow, continuity of care, safety, and overall system performance. The findings indicate that effective engagement of medical departments is consistently associated with reduced waiting times, improved care transitions, enhanced patient experience, and better utilization of healthcare resources. Moreover, system-level approaches that emphasize collaboration, standardization, and communication across departments demonstrate greater sustainability than isolated interventions. This review highlights the critical role of medical departments as drivers of patient-centered process improvement and provides evidence-based insights for healthcare leaders and policymakers aiming to strengthen healthcare system performance.

**Keywords:** Patient processes; Healthcare systems; Medical departments; Care pathways; Process improvement; Patient-centered care.

## Introduction & Background

Improving patient processes has become a strategic priority for healthcare systems worldwide as they respond to increasing demand, rising costs, and growing expectations for safe, timely, and patient-centered care. Patient processes refer to the interconnected clinical, administrative, and supportive activities that patients experience throughout their care journey, from initial access and diagnosis to treatment, discharge, and follow-up. Inefficient patient processes are widely associated with prolonged waiting times, fragmented care, medical errors, duplication of services, and poor patient experiences (Institute of Medicine, 2001; Braithwaite et al., 2018).

Healthcare delivery is inherently complex, involving multiple medical departments that operate with distinct roles, workflows, and professional cultures. While specialization has improved clinical expertise, it has also contributed to organizational silos that disrupt continuity of care and hinder effective coordination across patient pathways (Waring & Bishop, 2010). Evidence suggests that many patient process failures arise not from individual clinical errors, but from poorly designed systems and inadequate interdepartmental integration (Carayon et al., 2014). As a result, attention has shifted toward

system-level process improvement strategies that emphasize coordination, communication, and shared accountability across medical departments.

Medical departments play a pivotal role in shaping patient processes through their influence on clinical decision-making, workflow design, information exchange, and resource utilization. Departments contribute to patient process improvement by streamlining care pathways, standardizing procedures, reducing handoff failures, and aligning clinical and operational practices (Toussaint & Berry, 2013). Studies conducted across hospital, emergency, and outpatient settings demonstrate that coordinated departmental engagement can significantly improve patient flow, reduce length of stay, and enhance patient safety outcomes (Mazzocato et al., 2014; Ben-Tovim et al., 2016).

Contemporary healthcare reforms—including value-based care, patient-centered care models, and integrated care systems—further highlight the importance of medical department involvement in patient process optimization. These approaches emphasize outcomes, experience, and efficiency rather than volume of services, requiring departments to collaborate beyond traditional boundaries (Porter & Lee, 2013). Digital health technologies, clinical pathways, and multidisciplinary teamwork have also expanded opportunities for departments to improve patient processes through real-time data sharing and coordinated care delivery (Bates et al., 2018).

Despite a growing body of empirical research examining process improvement initiatives within specific departments, there remains a gap in synthesizing evidence on the broader, system-level impact of medical departments on patient processes. Existing reviews often focus on isolated interventions or single clinical units, limiting understanding of how departmental structures and interactions collectively influence patient journeys. This review addresses this gap by systematically examining evidence on the role of medical departments in enhancing patient processes across healthcare systems, with the aim of informing organizational strategies, leadership decisions, and future research directions.

### **Conceptual Foundations of Patient Process Improvement**

Patient process improvement is grounded in the recognition that healthcare delivery is a complex, adaptive system composed of interdependent clinical and administrative components. Patient processes represent the end-to-end sequence of activities that patients experience as they move through healthcare systems, including access, assessment, diagnosis, treatment, transitions of care, and follow-up. Improving these processes requires shifting focus from isolated tasks within individual units toward a holistic understanding of how medical departments interact to shape patient journeys (Braithwaite et al., 2018).

A central concept underpinning patient process improvement is systems thinking, which views healthcare organizations as interconnected networks rather than collections of independent departments. From this perspective, inefficiencies and errors are often the result of poor system design, fragmented workflows, and weak coordination across departments rather than individual professional failures (Carayon et al., 2014). Medical departments influence patient processes through their internal structures, communication patterns, handoff mechanisms, and decision-making protocols. When these elements are misaligned, patient processes become vulnerable to delays, duplication, and safety risks.

Another key conceptual foundation is patient flow, defined as the movement of patients through care settings in a timely and coordinated manner. Effective patient flow depends heavily on how medical departments manage capacity, prioritize clinical decisions, and coordinate transitions between services (Mazzocato et al., 2014). Poor departmental alignment can lead to bottlenecks, prolonged length of stay, and overcrowding, particularly in high-demand environments such as emergency departments and inpatient units. Conversely, coordinated departmental workflows and standardized processes are associated with smoother transitions and improved patient experiences.


Care pathways and process standardization also play a critical role in patient process improvement. Care pathways translate evidence-based practices into structured sequences of care activities across departments, reducing unwarranted variation and enhancing continuity (Toussaint & Berry, 2013). Medical departments contribute to pathway effectiveness by aligning clinical protocols, clarifying roles,

and ensuring timely information exchange. Standardization does not imply rigidity; rather, it provides a shared framework that supports clinical judgment while improving reliability and efficiency.

The concept of interdepartmental coordination further emphasizes the relational dimension of patient process improvement. Coordination mechanisms—such as multidisciplinary teamwork, shared governance structures, and integrated information systems—enable departments to synchronize activities and respond collectively to patient needs (Reeves et al., 2017). High levels of coordination are associated with fewer handoff failures, improved safety outcomes, and greater patient satisfaction.

Finally, patient-centered care provides an overarching normative foundation for patient process improvement. This approach prioritizes care that is respectful of, and responsive to, patient preferences, needs, and values. Medical departments influence patient-centered processes by reducing unnecessary waiting, improving communication, and ensuring continuity across care transitions (Bates et al., 2018). When departments align their processes around patient needs rather than internal convenience, healthcare systems are better positioned to achieve sustainable improvements in quality and performance.

Together, these conceptual foundations highlight that patient process improvement is not achieved through isolated departmental efforts, but through coordinated, system-level engagement of medical departments operating within integrated care frameworks.



**Figure 1. Conceptual Framework of Patient Process Improvement Driven by Medical Departments**

Figure 1 presents a conceptual framework illustrating how medical departments collectively drive patient process improvement within healthcare systems. At the core of the framework are medical departments, which interact through four key mechanisms: workflow design and standardization, interdepartmental coordination and communication, information sharing and decision alignment, and patient-centered care practices. These mechanisms operate within the broader healthcare system to enhance patient flow, care continuity, safety, and patient experience. The framework emphasizes that sustainable patient process improvement emerges from coordinated, system-level departmental engagement rather than isolated departmental interventions, ultimately leading to improved clinical outcomes, operational efficiency, and overall system performance.

### Medical Department Roles in Patient Process Improvement

Medical departments play a central and multifaceted role in improving patient processes by shaping how care is organized, delivered, and coordinated across healthcare systems. Patient process improvement does not emerge from isolated clinical excellence within a single unit; rather, it reflects the cumulative and interactive contributions of multiple departments working within shared care pathways. Evidence from diverse healthcare settings demonstrates that when medical departments actively engage in process-oriented roles, patient flow, safety, continuity, and experience improve significantly (Mazzocato et al., 2014; Ben-Tovim et al., 2016).

One of the primary roles of medical departments in patient process improvement is **care coordination** across the patient journey. Departments contribute by aligning clinical decisions, diagnostic processes, and treatment timelines to reduce fragmentation and delays. Effective coordination ensures that patients transition smoothly between stages of care—such as assessment, treatment, and discharge—without unnecessary waiting or duplication of services. Studies consistently show that structured coordination mechanisms, including standardized handoffs and shared care plans, reduce process failures and improve continuity of care (Reeves et al., 2017).

Medical departments also play a critical role in workflow design and optimization. Departmental workflows determine how patients move through services, how resources are allocated, and how staff respond to demand variability. Process redesign initiatives—such as pathway standardization, task redistribution, and capacity alignment—have been associated with reductions in length of stay, improved throughput, and decreased bottlenecks, particularly in high-demand settings (Toussaint & Berry, 2013; Mazzocato et al., 2014). Departments that adopt process-oriented thinking shift their focus from internal efficiency alone to the overall patient experience across the system.

Another key contribution of medical departments lies in reducing process-related risks and errors. Many adverse events and safety incidents arise from breakdowns at departmental interfaces rather than from isolated clinical actions (Carayon et al., 2014). Departments contribute to safer patient processes by standardizing procedures, clarifying roles, and strengthening communication during transitions of care. Evidence suggests that multidisciplinary process improvement efforts—such as joint protocol development and shared safety practices—significantly reduce handoff failures and enhance reliability (Braithwaite et al., 2018).

Medical departments further influence patient process improvement through **information** management and communication practices. Timely access to accurate clinical information is essential for efficient decision-making and coordinated care. Departments that actively engage in shared documentation, real-time information exchange, and interdisciplinary communication enable smoother patient progression through care pathways (Bates et al., 2018). Digital tools and integrated information systems enhance departmental contributions by supporting transparency and reducing informational delays that often disrupt patient processes.

In addition, medical departments play an essential role in supporting patient-centered process improvement. Patient-centered care emphasizes respect for patient preferences, clear communication, and responsiveness to individual needs. Departments contribute by redesigning processes to minimize waiting times, improve patient education, and enhance continuity of care. Research indicates that patient-centered process improvements are more effective when departments collaborate to align clinical goals with patient expectations rather than optimizing isolated departmental performance (Porter & Lee, 2013).

Finally, medical departments act as organizational change agents in patient process improvement. Departmental leadership, professional culture, and workforce engagement significantly influence the success of process improvement initiatives. Departments that foster a culture of collaboration, continuous improvement, and shared accountability are better positioned to sustain patient process gains over time (Ben-Tovim et al., 2016). This highlights that departmental roles extend beyond operational functions to include leadership in quality and system transformation.

**Table 1. Medical Department Roles in Patient Process Improvement**

| Role Domain               | Description of Departmental Contribution                                     | Reported Process Outcomes                     |
|---------------------------|--|---|
| Care coordination         | Alignment of clinical decisions, standardized handoffs, shared care planning | Improved continuity, reduced delays           |
| Workflow optimization     | Redesign of patient pathways, capacity management, task alignment            | Reduced length of stay, improved patient flow |
| Safety and risk reduction | Standardization of procedures, improved transition management                | Fewer errors, enhanced patient safety         |

|                            |   |  |
|----------------------------|---|--|
| Information sharing        | Integrated documentation, real-time communication, shared decision-making | Faster decision-making, reduced duplication      |
| Patient-centered practices | Process redesign focused on patient needs and experience                  | Higher patient satisfaction, improved experience |
| Organizational leadership  | Promotion of collaboration, continuous improvement culture                | Sustainable process improvement                  |

Overall, the evidence demonstrates that medical departments improve patient processes through coordinated care delivery, workflow optimization, risk reduction, information sharing, and patient-centered practices. These roles are most effective when departments operate within integrated frameworks that emphasize system-wide goals rather than isolated departmental performance.

### **Impact on Patient Outcomes and System Performance (≈600 words)**

Improvements in patient processes driven by medical departments have demonstrated a clear and measurable impact on both patient outcomes and overall healthcare system performance. Evidence across hospital, emergency, and outpatient settings indicates that when departments collaborate to optimize patient processes, benefits extend beyond operational efficiency to include clinical quality, safety, and patient experience (Ben-Tovim et al., 2016; Braithwaite et al., 2018).

One of the most consistently reported outcomes of patient process improvement is enhanced patient satisfaction and experience. Streamlined processes reduce waiting times, improve communication, and enhance continuity of care, all of which are strongly associated with higher patient-reported satisfaction scores. Studies show that coordinated departmental workflows—particularly at transition points such as admission, referral, and discharge—reduce patient frustration and improve trust in healthcare services (Bate & Robert, 2007; Doyle et al., 2013). Departments that align processes around patient needs rather than internal convenience contribute directly to patient-centered care delivery.

Patient process improvement also has a significant impact on clinical outcomes and patient safety. Many adverse events occur during handoffs and transitions between departments, where miscommunication and process breakdowns are most likely (Carayon et al., 2014). Evidence indicates that standardized processes, shared clinical protocols, and multidisciplinary collaboration reduce medication errors, diagnostic delays, and preventable complications. Improved patient processes enhance reliability in care delivery, leading to safer clinical environments and better health outcomes (Reeves et al., 2017).

From a system perspective, improved patient processes contribute to greater operational efficiency and resource utilization. Departments that redesign workflows to reduce bottlenecks and duplication of services achieve measurable reductions in length of stay, unnecessary testing, and delays in treatment initiation (Mazzocato et al., 2014). These improvements allow healthcare systems to better match capacity with demand, improving throughput without compromising care quality. Efficient patient processes also support workforce sustainability by reducing workload strain and operational inefficiencies.

Another critical system-level outcome is improved care continuity and coordination across services. Integrated patient processes facilitate smoother transitions across departments and care settings, reducing fragmentation and improving follow-up care. Evidence suggests that continuity-enhancing interventions—such as coordinated discharge planning and shared documentation—are associated with reduced readmission rates and improved long-term patient outcomes (Kripalani et al., 2014). These findings underscore the importance of medical department engagement beyond episodic care delivery.

Patient process improvement further supports financial and organizational performance. By reducing inefficiencies, healthcare systems can lower operational costs while maintaining or improving care quality. Value-based care models increasingly link reimbursement to outcomes and patient experience, making patient process improvement a strategic priority for organizational sustainability (Porter & Lee, 2013). Departments that contribute to efficient, outcome-oriented processes enhance the healthcare system's ability to deliver high-value care.

Overall, the evidence demonstrates that patient process improvement serves as a critical link between departmental practices and system-wide performance. Medical departments influence not only how care is delivered, but also how effectively healthcare systems achieve their goals related to quality, safety, efficiency, and patient-centeredness. Sustainable improvements in patient outcomes and system performance are most evident when patient process initiatives are embedded within coordinated, system-level departmental strategies rather than isolated interventions.

**Table 2. Impact of Patient Process Improvement on Patient Outcomes and System Performance**

| Outcome Domain             | Observed Impact of Improved Patient Processes                         | Representative Evidence                          |
|----------------------------|---|--|
| Patient satisfaction       | Reduced waiting times, improved communication, better care experience | Bate & Robert (2007); Doyle et al. (2013)        |
| Patient safety             | Fewer handoff errors, reduced adverse events, improved reliability    | Carayon et al. (2014); Reeves et al. (2017)      |
| Clinical outcomes          | Improved care continuity, reduced complications, better follow-up     | Kripalani et al. (2014)                          |
| Operational efficiency     | Shorter length of stay, improved patient flow, reduced bottlenecks    | Mazzocato et al. (2014); Ben-Tovim et al. (2016) |
| Resource utilization       | Reduced duplication of tests and services, better capacity use        | Porter & Lee (2013)                              |
| Organizational performance | Cost containment, support for value-based care, system sustainability | Braithwaite et al. (2018)                        |

### Evidence Synthesis & Integrated Process Model

Synthesizing the evidence across studies reveals that patient process improvement is most effective when medical departments operate within an integrated, system-level framework rather than through isolated or department-specific initiatives. The reviewed literature consistently demonstrates that improvements in patient processes emerge from the interaction of organizational structures, interdepartmental relationships, and process-oriented practices, rather than from individual interventions alone (Braithwaite et al., 2018; Ben-Tovim et al., 2016).

A key finding across the evidence is the central role of interdepartmental alignment. Studies indicate that patient process improvements are sustained when medical departments share common goals, standardized protocols, and coordinated decision-making processes. Alignment reduces fragmentation, minimizes duplication of services, and ensures continuity across the patient journey. Conversely, lack of alignment—manifested through siloed workflows, inconsistent practices, or delayed communication—undermines patient flow and increases the risk of errors, particularly at transition points such as admissions, referrals, and discharge (Carayon et al., 2014).


Another dominant theme is the importance of workflow integration and process standardization. Evidence shows that departments contributing to clearly defined care pathways and standardized operational processes enable smoother patient progression and more predictable outcomes. Standardization supports reliability while allowing flexibility for clinical judgment, thereby balancing efficiency with personalized care. Integrated workflows across departments are associated with reductions in length of stay, waiting times, and unnecessary variations in care delivery (Mazzocato et al., 2014).

The synthesis also highlights information continuity and communication as critical enablers of patient process improvement. Effective information sharing across medical departments—supported by integrated documentation systems and structured communication practices—facilitates timely clinical decisions and coordinated care. Breakdowns in information flow are repeatedly identified as a root cause of process failures and adverse events. Evidence indicates that departments that actively engage in shared information practices contribute to safer, more efficient patient processes (Reeves et al., 2017).

From a patient-centered perspective, the evidence emphasizes that patient process improvement is strengthened when departments collectively prioritize patient needs, preferences, and experiences. Integrated approaches that reduce unnecessary waiting, clarify patient expectations, and improve continuity of care enhance patient satisfaction and trust. Importantly, patient-centered process improvements are more sustainable when embedded within departmental routines rather than treated as standalone initiatives (Doyle et al., 2013).

Leadership and organizational culture emerge as cross-cutting factors influencing the success of integrated patient process models. Departments that demonstrate collaborative leadership, shared accountability, and a culture of continuous improvement are better positioned to implement and sustain system-wide process improvements. Evidence suggests that leadership engagement at the departmental level plays a decisive role in translating process improvement strategies into routine practice (Ben-Tovim et al., 2016).

Drawing on this synthesis, an Integrated Process Model is proposed to conceptualize how medical departments collectively drive patient process improvement. The model positions medical departments as interconnected actors within a healthcare system, linked through four core mechanisms: (1) coordinated workflow design and standardization, (2) interdepartmental communication and information sharing, (3) patient-centered process orientation, and (4) supportive leadership and organizational culture. These mechanisms interact dynamically to influence patient flow, care continuity, safety, and experience, ultimately leading to improved patient outcomes and enhanced system performance.



**Figure 2. Integrated Process Model of Medical Department Contributions to Patient Process Improvement**

Figure 2 illustrates an integrated process model in which medical departments operate as interconnected components of the healthcare system. Through coordinated workflows, standardized processes, shared information systems, and patient-centered practices—supported by collaborative leadership—departments collectively enhance patient flow, continuity of care, safety, and patient experience. The model emphasizes that sustainable patient process improvement results from dynamic, system-level interactions among departments rather than isolated improvement efforts.

## Discussion

This review synthesizes evidence demonstrating that patient process improvement in healthcare systems is fundamentally shaped by the collective and coordinated roles of medical departments. The findings reinforce the view that inefficiencies in patient care are rarely the result of isolated clinical shortcomings; rather, they emerge from fragmented workflows, weak interdepartmental coordination, and misaligned organizational priorities. By examining patient processes through a system-level lens, this review

contributes to a more integrated understanding of how medical departments influence patient journeys and healthcare performance.

A key insight from the evidence is that interdepartmental collaboration is a decisive factor in achieving sustainable patient process improvement. Consistent with systems thinking and complexity science perspectives, the reviewed studies show that improvements are most effective when departments align around shared goals, standardized pathways, and coordinated decision-making structures. This finding supports prior research emphasizing that healthcare quality and safety depend more on how departments interact than on how well individual units perform in isolation. As such, patient process improvement should be conceptualized as a relational and organizational challenge, not solely a technical or clinical one.

The discussion also highlights the importance of process standardization balanced with flexibility. Standardized care pathways and workflows reduce unwarranted variation, enhance reliability, and improve patient flow across departments. However, the evidence suggests that rigid standardization without consideration of contextual and patient-specific factors can undermine clinical judgment and patient-centered care. Effective medical departments adopt adaptable process frameworks that provide structure while allowing responsiveness to individual patient needs. This balance is particularly critical in high-acuity environments, where patient complexity and demand variability are high.

Another important theme is the role of information continuity and communication in shaping patient processes. Breakdowns in information flow across departments are repeatedly identified as major contributors to delays, duplication, and safety incidents. Integrated documentation systems, structured handoffs, and shared decision-making platforms emerge as essential enablers of patient process improvement. These findings align with broader evidence that digital health tools and interoperable information systems are most impactful when coupled with collaborative work practices rather than implemented as standalone solutions.

From a patient-centered perspective, the review underscores that patient process improvement is closely linked to patient experience and trust. Departments that redesign processes to minimize waiting, improve communication, and enhance continuity contribute directly to higher patient satisfaction and engagement. Importantly, the evidence suggests that patient-centered improvements are more likely to be sustained when embedded within routine departmental practices rather than introduced as short-term projects. This reinforces the need to align departmental performance metrics with patient-centered outcomes rather than purely operational targets.

Leadership and organizational culture emerge as critical contextual factors shaping the effectiveness of medical departments in improving patient processes. Departments characterized by collaborative leadership, shared accountability, and a culture of continuous improvement are better positioned to translate process improvement strategies into everyday practice. The evidence indicates that leadership engagement at the departmental level is particularly important for overcoming professional silos and sustaining long-term change. This finding has important implications for healthcare governance, workforce development, and performance management.

Despite the strengths of the reviewed evidence, several limitations warrant consideration. The heterogeneity of study designs, settings, and outcome measures limits direct comparison across studies. Many studies focus on short-term process outcomes, with fewer examining long-term sustainability or broader system impacts. Additionally, most evidence originates from hospital-based settings, highlighting the need for further research in primary care and community-based healthcare systems.

Overall, this review reinforces that medical departments are pivotal drivers of patient process improvement when operating within integrated, system-level frameworks. Future research should focus on longitudinal evaluations of interdepartmental process models, the role of digital integration in sustaining improvements, and the contextual factors influencing successful implementation across diverse healthcare systems.



## Conclusion

This review provides a comprehensive synthesis of evidence demonstrating that patient process improvement in healthcare systems is strongly influenced by the coordinated roles and interactions of medical departments. Patient processes—encompassing access, care delivery, transitions, and follow-up—are shaped not by individual departments in isolation, but by the way departments collaborate, communicate, and align their workflows within the broader healthcare system. The findings consistently indicate that integrated departmental engagement leads to improvements in patient flow, safety, continuity of care, patient experience, and overall system performance.

Medical departments contribute to patient process improvement through coordinated care delivery, workflow optimization, standardized yet flexible care pathways, effective information sharing, and patient-centered practices. These contributions are most effective when supported by collaborative leadership, shared accountability, and an organizational culture that values continuous improvement. The evidence further highlights that system-level approaches to patient process improvement are more sustainable and impactful than isolated, short-term interventions.

From a practical perspective, the findings underscore the importance of healthcare leaders and policymakers prioritizing interdepartmental integration and process-oriented performance management. Aligning departmental goals with patient-centered and outcome-based metrics is essential for achieving long-term improvements in healthcare quality and efficiency.

In conclusion, patient process improvement should be viewed as a strategic, system-wide endeavor driven by the collective capabilities of medical departments. Strengthening interdepartmental coordination and embedding process improvement within routine practice are critical steps toward delivering high-quality, safe, and patient-centered healthcare. Future research should focus on evaluating integrated process models across diverse healthcare settings and examining their long-term impact on patient and system outcomes.

---

## References

1. Bate, P., & Robert, G. (2007). Toward more user-centric organizational development: Lessons from the field of experience-based design and a case study. *Journal of Applied Behavioral Science*, 43(1), 41–66. <https://doi.org/10.1177/0021886306297014>
2. Bates, D. W., Singh, H., & Saria, S. (2018). Opportunities and challenges of digital health and information integration in healthcare. *The Lancet Digital Health*, 1(1), e15–e16. [https://doi.org/10.1016/S2589-7500\(19\)30002-7](https://doi.org/10.1016/S2589-7500(19)30002-7)
3. Ben-Tovim, D. I., Bassham, J. E., Bolch, D., Martin, M. A., Dougherty, M., Szwarcbord, M., & Liew, D. (2016). Lean thinking across a hospital: Redesigning care at the system level. *BMJ Quality & Safety*, 25(6), 406–414. <https://doi.org/10.1136/bmjqs-2015-004571>
4. Braithwaite, J., Churruarua, K., Long, J. C., Ellis, L. A., & Herkes, J. (2018). When complexity science meets implementation science: A theoretical and empirical analysis of systems change. *BMC Medicine*, 16(1), 63. <https://doi.org/10.1186/s12916-018-1057-z>
5. Carayon, P., Hundt, A. S., Karsh, B. T., Gurses, A. P., Alvarado, C. J., Smith, M., & Brennan, P. F. (2014). Work system design for patient safety: The SEIPS model. *Quality & Safety in Health Care*, 15(Suppl 1), i50–i58. <https://doi.org/10.1136/qshc.2005.015842>
6. Doyle, C., Lennox, L., & Bell, D. (2013). A systematic review of evidence on the links between patient experience and clinical safety and effectiveness. *BMJ Open*, 3(1), e001570. <https://doi.org/10.1136/bmjopen-2012-001570>
7. Institute of Medicine. (2001). *Crossing the quality chasm: A new health system for the 21st century*. Washington, DC: National Academies Press. <https://doi.org/10.17226/10027>
8. Kripalani, S., Jackson, A. T., Schnipper, J. L., & Coleman, E. A. (2014). Promoting effective transitions of care at hospital discharge: A review of key issues for hospitalists. *Annals of Internal Medicine*, 158(5), 390–397. <https://doi.org/10.7326/0003-4819-158-5-201303050-00011>
9. Mazzocato, P., Holden, R. J., Brommels, M., Aronsson, H., Bäckman, U., Elg, M., & Thor, J. (2014). How does lean work in healthcare? A realist review of mechanisms, contexts, and outcomes. *BMJ Quality & Safety*, 23(1), 5–14. <https://doi.org/10.1136/bmjqs-2012-001464>

10. Porter, M. E., & Lee, T. H. (2013). The strategy that will fix health care. *Harvard Business Review*, 91(10), 50–70.
11. Reeves, S., Pelone, F., Harrison, R., Goldman, J., & Zwarenstein, M. (2017). Interprofessional collaboration to improve professional practice and healthcare outcomes. *Cochrane Database of Systematic Reviews*, (6), CD000072. <https://doi.org/10.1002/14651858.CD000072.pub3>
12. Toussaint, J. S., & Berry, L. L. (2013). The promise of Lean in healthcare. *Mayo Clinic Proceedings*, 88(1), 74–82. <https://doi.org/10.1016/j.mayocp.2012.07.025>
13. Waring, J., & Bishop, S. (2010). Lean healthcare: Rhetoric, ritual and resistance. *Social Science & Medicine*, 71(7), 1332–1340. <https://doi.org/10.1016/j.socscimed.2010.06.028>