

Overview Of Nursing Role In Promoting Integrated Healthcare Of Elderly Population: A Comprehensive Review

Ibrahim Ahmed Ali Al-Sharafi Asiri¹, Azbah Ahmad Asiri², Aisha Attia Hassan Musmali¹, Amnah Hamed Kakum³, Ameerh Ahmed Ali Asiri³, Khulod Ali Al-Asbali³, Mahasin Musad Al-Balawi⁴, Yahya Hamed Ahmed Al malki⁵, Osamh Abdulrahman Alsogier⁶, Mohamed Hamad ALharbi⁷

¹ Nursing Assistant, Emergency Department, Al-Qahmah General Hospital, Al-Qahmah, Saudi

² Nurse Specialist, Prince Faisal Bin Khalid Hospital for Heart Diseases and Surgery - Cardiac Care Unit, Abha, Saudi

³ Nurse Specialist, Oncology Department, Asir Central Hospital, Abha, Saudi Arabia

⁴ Nursing Specialist, Uhud Hospital, Madinah, Saudi Arabia

⁵ ECG Technician, Alhada Armed Forces Hospital, Taif, Saudi Arabia

⁶ Health Information Technology, Al-Qassim Armed Forces Hospital, Al-Qassim, Saudi Arabia

⁷ Operation Room Technician, Armed Forces Hospital in Qassim, Saudi Arabia

Abstract

The rapidly aging global population presents substantial challenges for healthcare systems worldwide, necessitating specialized nursing interventions to promote health, maintain independence, and enhance quality of life among elderly individuals. This comprehensive review examines the multifaceted role of nurses in delivering healthcare to elderly populations across diverse settings including community-based programs, long-term care facilities, and acute care environments. The nursing role encompasses comprehensive assessment, care coordination, medication management, health promotion, fall prevention, rehabilitation support, and psychosocial care. Evidence demonstrates that nurse-led interventions significantly improve health outcomes, reduce hospital readmissions, enhance quality of life, and promote healthy aging among elderly patients. Through holistic, person-centered approaches, nurses address the complex physical, cognitive, emotional, and social needs of older adults while advocating for their autonomy and dignity. This review synthesizes current evidence on nursing strategies, challenges, and outcomes in elderly care, emphasizing the critical importance of specialized geriatric nursing education, interdisciplinary collaboration, and evidence-based practice in optimizing healthcare delivery for the aging population. The findings underscore that nurses are essential to achieving sustainable, cost-effective elderly healthcare that honors the preferences and goals of older adults.

Keywords: elderly care, geriatric nursing, health promotion, aging population, nursing interventions, quality of life, patient outcomes, evidence-based practice.

Introduction

Background

Demographic Trends and the Aging Population

The global population is experiencing unprecedented demographic shifts characterized by a substantial increase in the number and proportion of older adults. By 2030, approximately 1 in 6 people worldwide will be aged 60 years or older, representing an increase from 1 billion in 2020 to an estimated 1.4 billion individuals[88]. Looking further ahead, by 2050, the United Nations predicts the global population of people aged 60 and older will double to 2.1 billion, with the number of people aged 80 and older projected to triple to 426 million[88]. In the United States alone, approximately 39.5 million people are currently over the age of 65, with projections indicating that by 2060, this population aged 65 years and

older will nearly double[86]. The fastest-growing segment of the elderly population is the "oldest-old" cohort aged 85 and above, whose numbers are anticipated to triple in size by 2060[86].

This demographic transformation occurs globally across diverse regions, though patterns vary by country income levels and geographic location[85]. High-income countries such as Japan, where one-third of the population is already aged over 60 years, provide early models of aging societies[88]. However, developing nations are experiencing even more rapid population aging, with the proportion of elderly populations projected to escalate dramatically[89]. In the United Kingdom, over 10 million people are currently aged 65 and older, comprising 18 percent of the population, with projections indicating the number of people aged 65-79 will increase by nearly a third to over 10 million within the next 40 years, while those aged 80 and over will more than double to over 6 million[91].

Healthcare Challenges in an Aging Society

The aging population brings with it increased prevalence of chronic diseases, multiple comorbidities, functional impairments, and complex healthcare needs[84]. Global mortality trends demonstrate that population aging directly contributes to increased death rates; between 1990 and 2017, 12 million additional global deaths in 2017 were associated with population aging, corresponding to 27.9 percent of total global deaths[85]. Older adults commonly present with chronic conditions such as cardiovascular disease, diabetes, chronic obstructive pulmonary disease (COPD), dementia, arthritis, and osteoporosis, which require long-term management and multifaceted interventions[84]. The complexity of managing multiple medications in elderly populations, combined with age-related physiological changes, creates heightened risks for adverse drug events and medication-related complications[61]. Additionally, elderly individuals face increased risks for falls, cognitive decline, depression, social isolation, malnutrition, and loss of independence[92].

Without strategic interventions focused on healthy aging and disease prevention, population aging will intensify the burden on healthcare systems and substantially increase health and long-term care expenditures[26]. Recognizing these challenges, healthcare professionals must adopt proactive, comprehensive approaches to elderly care. Nurses, as frontline healthcare providers, play an indispensable role in addressing these challenges through their expertise in assessment, care coordination, health education, and patient advocacy[21][24].

Literature Review

Evolution of Nursing Roles in Elderly Care

The nursing profession has long recognized the unique needs of elderly populations, with nurses serving as leaders in elder care and playing increasingly critical roles in addressing the complex challenges of aging populations[12]. Historically, nursing care focused primarily on managing acute illness and providing basic physical care. However, contemporary nursing practice in elderly care has evolved significantly to encompass holistic, person-centered approaches that address the interconnected physical, psychological, emotional, social, and spiritual dimensions of older adults' health and well-being[16][17].

Current literature demonstrates that nurses provide comprehensive care encompassing assessment, diagnosis, treatment, and evaluation across diverse settings[20]. The multidisciplinary nature of modern elderly care requires nurses to function as key coordinators and collaborators within interprofessional teams, working alongside physicians, therapists, social workers, pharmacists, and other healthcare professionals[21]. This collaborative approach is essential for addressing the complex, multifactorial health challenges faced by older adults[11].

Evidence-Based Nursing Interventions and Patient Outcomes

Substantial research evidence supports the effectiveness of nurse-led interventions in improving health outcomes among elderly populations. Nurse-led care models have consistently demonstrated superior results compared to traditional physician-led approaches, with higher patient satisfaction, equal or better quality of care, and similar or lower resource utilization[26]. Research specifically examining nurse-led programs has revealed that these interventions reduce hospital admissions, lower mortality rates, and enhance quality of life among chronically-ill older adults[26].

A landmark randomized trial examining Depression CAREPATH—a nurse-led depression care management protocol for home health patients—demonstrated that elderly patients under the care of nurses managing depression showed significantly greater improvement in depressive symptoms compared to those receiving usual care, with differences becoming more clinically meaningful over the course of one year[71]. The intervention, which consisted of comprehensive assessment, care coordination, medication management, education, and goal setting, achieved these outcomes without extending length of stay or increasing the number and duration of home visits[71].

Evidence from multiple studies demonstrates that comprehensive geriatric assessment (CGA), conducted by nurses and interprofessional teams, effectively identifies elderly patients' complex healthcare needs across multiple domains and facilitates the development of personalized care plans[105][107]. Holistic assessment approaches that examine medical, physical, psychological, cognitive, nutritional, social, and environmental factors enable nurses to provide targeted interventions that address each individual's unique needs and circumstances[105].

Study Topic: Key Nursing Roles in Elderly Healthcare

Comprehensive Assessment and Holistic Evaluation

Comprehensive assessment constitutes the foundation of effective elderly nursing care. Geriatric nurses conduct thorough, systematic evaluations to establish baseline status across multiple dimensions affecting the health and well-being of older adults. Nurses assess physical health status, functional capacity in activities of daily living (ADLs) and instrumental activities of daily living (IADLs), cognitive function, mental health, nutritional status, medication regimens, social support systems, living environments, and spiritual well-being[27].

The shift toward person-centered assessment represents a fundamental evolution in nursing practice. Rather than focusing exclusively on pathology and deficits, contemporary gerontological nursing emphasizes identifying older adults' strengths, abilities, resources, and goals[15]. Nurses recognize that assessment methodologies should proceed from least invasive to most invasive and incorporate consideration of patients' lived experiences, cultural backgrounds, and values[103]. This holistic physical assessment framework builds on nursing philosophy and trauma-informed approaches, enabling nurses to honor the whole person rather than merely documenting medical information[103].

Multiple standardized assessment tools are available to nurses for systematic evaluation of elderly patients' needs. These tools address domains including mobility, communication, sensory function, mental health, daily living abilities, housing arrangements, physical health, and medication management[113]. The Northern Ireland Single Assessment Tool (NISAT), for example, employs eight core domains covering all aspects of an older person's life and focuses assessment on individuals' abilities and strengths rather than disabilities[113]. Comprehensive assessment using validated tools facilitates early identification of emerging health problems and enables nurses to develop individualized care plans that address each patient's specific needs and preferences[25].

Medication Management and Polypharmacy

Medication management represents a critical component of elderly nursing care, given that older people frequently receive multiple medications concurrently. Over 90 percent of people in nursing homes receive more than four concurrent medicines, with an average of 9.75 medicines prescribed per person[69]. This polypharmacy creates substantial risks for adverse medication events, drug interactions, medication errors, and inappropriate prescriptions[61][62][64].

Nurses play essential roles in comprehensive medication management including assessing medication appropriateness, monitoring for side effects and adverse reactions, ensuring medication adherence, conducting medication reviews, and educating patients and families about proper medication use[69]. Nurses identify medication-related problems and advocate for medication review and deprescribing when appropriate, particularly for patients taking multiple medications with high risk of inappropriate prescriptions[64]. Research examining community nursing services revealed that medication errors and adverse medication events requiring medical consultation occurred in 41 percent and 13 percent of clients receiving medication management support, respectively, with a majority of these events being preventable[62].

Through regular assessment and structured medication reviews, nurses can reduce the burden associated with medication management for older people and family caregivers, who often find complex regimens challenging[61]. Patient education regarding medication purposes, proper administration techniques, potential side effects, and drug interactions enhances medication adherence and promotes safe, effective use[72]. When nurses systematically engage older adults in understanding their medications and support adherence through personalized education and monitoring, medication-related outcomes improve substantially[55].

Fall Prevention and Injury Mitigation

Falls represent a major public health challenge affecting elderly populations, causing significant physical, psychological, and economic consequences[39]. Falls are the leading cause of fatal and non-fatal injuries among older adults and often result in debilitating injuries, hospitalizations, reduced independence, and decreased quality of life[43].

Nurses implement multifactorial, evidence-based fall prevention strategies that address the multiple risk factors contributing to falls. The American and British Geriatric Societies recommend comprehensive fall risk assessment to identify risk factors and guide interventions[43]. Nurses conduct fall risk assessments using validated tools such as the Morse Fall Scale, identify individual risk factors including medications, cognitive impairments, mobility issues, and environmental hazards, and implement targeted interventions[47][50].

Effective nurse-led fall prevention programs include patient education and training, strength and balance exercises, environmental modification, medication review, home safety assessments and modifications, vision and cardiovascular evaluation, proper footwear selection, and assistive device provision[39][45][47]. Research on the Stopping Elderly Accidents, Deaths, and Injuries (STEADI) program demonstrated its effectiveness in significantly reducing fall risk in neurosurgical patients[38]. Multiple studies consistently demonstrate that fall prevention programs with education components result in reduced fall rates and changed patient behaviors[40].

Research from the umbrella review examining fall prevention in both residential aged care and community settings concluded that augmenting exercise interventions to become multifactorial interventions may improve the incidence of falls in both settings[41]. Nurses play pivotal roles in designing and implementing individualized exercise programs, assessing home safety, educating patients and families about fall risk factors and prevention strategies, and monitoring adherence to recommended interventions[38].

Health Promotion and Patient Education

Health promotion constitutes a central nursing responsibility in elderly care. Nurses work to identify health promotion opportunities, empower older adults to make informed health decisions, and support behavioral changes that enhance health and well-being. Health promotion efforts encompass education on nutrition, physical activity, disease prevention, stress management, mental health, social engagement, cognitive stimulation, and medication management[21].

Research on nurses' perspectives regarding health education for elderly patients reveals that nurses recognize the importance of accurate, detailed information delivery to support patient self-care[93]. However, nurses also identify multiple barriers to effective health education including older patients' cognitive limitations, memory decline, complex medication regimens, multiple chronic conditions, sensory impairments, limited health literacy, and time constraints within healthcare delivery systems[93]. Nurses address these barriers through diverse communication strategies including verbal explanations, written materials adapted for readability, pictures, real-life materials, and involving family caregivers in educational sessions[93].

Evidence demonstrates that patient-centered health education delivered by nurses significantly improves medication compliance, dietary adherence, disease knowledge, self-management behaviors, and treatment satisfaction among elderly populations[55]. Nurses tailor educational approaches to individual patients' learning capabilities, preferences, literacy levels, and cultural contexts[27]. Regular assessment of patients' understanding and retention of health information enables nurses to reinforce key concepts and adjust teaching strategies as needed[27].

Chronic Disease Management and Symptom Control

The prevalence of chronic diseases in elderly populations necessitates specialized nursing interventions for disease management. Older adults frequently live with multiple chronic conditions simultaneously, including diabetes, hypertension, heart disease, COPD, osteoporosis, arthritis, and cognitive impairment[20]. Effective chronic disease management requires nurses to assess disease progression, monitor symptoms, adjust care plans based on patient response, coordinate multidisciplinary interventions, and support patients in self-management[48].

Nursing interventions for chronic disease management address multiple components including identifying risk factors and implementing preventive strategies, developing personalized care plans incorporating medication management and lifestyle modifications, educating patients to understand their conditions and manage symptoms, assessing treatment effectiveness and monitoring progress, and collaborating with interprofessional teams[48]. Research examining disease-specific outcomes demonstrates that nurse-led interventions significantly improve health outcomes across multiple chronic conditions including diabetes, heart disease, and COPD[51][55][56].

Nurses employing evidence-based assessment tools systematically evaluate symptom burden, pain intensity, and functional capacity in patients with chronic conditions[116]. By detecting symptoms early, implementing timely interventions, and providing ongoing support for symptom management, nurses help prevent disease exacerbation and reduce hospitalizations. Community health nurses, in particular, play strategic roles in managing chronic diseases, promoting self-care, reducing hospital admissions, and preventing institutionalization[28].

Rehabilitation and Functional Recovery

Rehabilitation nursing represents a critical component of elderly care, particularly for individuals recovering from acute illness, surgery, or experiencing functional decline. Nursing plays a central role in implementing rehabilitation interventions designed to restore, maintain, or maximize functional capacity and independence[138]. Research consistently demonstrates that specialized geriatric rehabilitation programs improve functional outcomes, reduce nursing home admission rates, and lower mortality rates compared to usual care[127].

A meta-analysis of 17 randomized controlled trials examining geriatric rehabilitation programs revealed overall benefits at discharge for function (odds ratio 1.75), with reduced nursing home admission (relative risk 0.64) and lower mortality (relative risk 0.72)[127]. These benefits extended through follow-up periods, with beneficial effects maintained at end of follow-up[127]. Enhanced rehabilitation programs that systematically engage and motivate patients in physical and occupational therapy demonstrate 25 percent greater functional recovery compared to standard therapy[128].

Nurses facilitate rehabilitation through multiple mechanisms including implementing prescribed exercises, monitoring patient tolerance and progress, providing emotional support and motivation, adapting interventions based on patient response, collaborating with physical and occupational therapists, and educating patients regarding exercise adherence and home exercise programs[125]. Multicomponent exercise programs including strength, balance, flexibility, and cardiovascular endurance training are particularly effective for elderly populations, improving physical performance, self-efficacy, and functional independence[115][121].

Mental Health Promotion and Depression Management

Mental health challenges, particularly depression, are prevalent among elderly populations yet often underrecognized and undertreated. Geriatric depression frequently coexists with chronic physical illness, disability, social isolation, and bereavement, substantially impacting quality of life and health outcomes[71]. Depression is associated with increased risk of adverse outcomes, medication non-adherence, and healthcare utilization[71].

Nurses are uniquely positioned to identify signs of depression through careful assessment, provide supportive therapeutic relationships, and implement evidence-based interventions. Home health nurses employ collaborative care models incorporating assessment, care coordination, medication management, education, and goal setting to effectively manage depression in elderly patients[71]. These interventions involve ongoing clinical assessment, communication with primary care providers regarding symptom changes and treatment modifications, psychosocial support, and facilitation of behavioral activation through goal setting and encouragement of pleasurable activities and social engagement[71].

Mental health promotion strategies implemented by nurses include facilitating social engagement and connections, reducing isolation through community programs and technology, providing emotional support and therapeutic listening, promoting cognitive engagement, addressing spiritual well-being, and advocating for access to mental health services[92][136]. Nurses recognize that holistic approaches addressing mind, body, and spirit—including mindfulness, relaxation techniques, physical activity, pet therapy, and social participation—effectively promote mental health wellness in elderly populations[136].

Social Support and Isolation Prevention

Social isolation and loneliness represent significant public health concerns among elderly populations, with substantial negative impacts on physical and mental health outcomes. Loneliness and social isolation are pervasive issues, exacerbating both physical and mental health concerns, and directly contributing to adverse outcomes[24]. Nurses play vital roles in mitigating social isolation through direct therapeutic relationships, facilitating social connections, connecting patients with community resources, and advocating for age-friendly communities supporting continued social participation.

Nurses serve as companions and confidants, offering emotional support, companionship, and therapeutic listening[24]. Through therapeutic communication and engagement activities, nurses foster social connections and cultivate a sense of belonging[24]. Home health nurses regularly engage with informal caregivers and can identify deficiencies in social support networks, making appropriate referrals and facilitating connections to community resources[26].

Evidence-based interventions for reducing social isolation include social skills training, community and support groups, befriending programs, cognitive behavioral therapy, and creating age-friendly communities improving access to transportation and information communication technologies[92]. By advocating for age-friendly initiatives and supporting older adults' participation in meaningful social activities, nurses contribute substantially to healthy aging and improved quality of life.

Nutritional Assessment and Support

Nutritional status significantly impacts elderly patients' health, immune function, wound healing, recovery from illness, independence, and quality of life[74]. However, malnutrition and nutritional risk are prevalent among elderly populations, affecting community-dwelling elders, long-term care residents, and hospitalized older adults[108]. Nurses conduct nutritional assessments using validated screening tools and implement interventions addressing identified nutritional risks.

Nurses screen for malnutrition using evidence-based tools such as the Mini Nutritional Assessment Short Form (MNA-SF), Malnutrition Universal Screening Tool (MUST), and Nutritional Risk Screening 2002 (NRS 2002)[108]. Through assessment identifying nutritional deficiencies and risk factors including inadequate intake, swallowing difficulties, dental problems, and poverty, nurses develop personalized nutritional interventions[74]. Nursing interventions include dietary modifications, nutritional supplementation, oral care, assistance with feeding when necessary, and education regarding healthy nutrition. Community health strategies should integrate comprehensive assessment to identify hidden malnutrition risks and tailor interventions accordingly[74].

Care Coordination and Transitions

Nurses play critical roles in coordinating care across multiple healthcare settings and managing transitions between acute care, rehabilitation, home care, and long-term care settings. Fragmented care and inadequate communication between providers during care transitions contribute to adverse events, medication errors, unnecessary readmissions, and poor outcomes[28].

Geriatric nurses assume strategic roles in coordinating care, connecting and expanding services across settings, managing chronic diseases, and enhancing interprofessional collaboration[28]. Through systematic assessment at discharge, nurses identify unresolved problems and arrange appropriate follow-up services, facilitating smoother transitions and reducing rehospitalization[25]. Research examining discharge planning interventions demonstrates that nursing assessment and follow-up significantly decrease unresolved problems in elderly patients and facilitate access to needed home care services[25].

Nurses facilitate interdisciplinary collaboration through participation in team conferences, comprehensive care planning, and communication with team members including physicians, therapists,

social workers, and community providers[28]. By maintaining continuity and coordination throughout the patient journey across settings, nurses minimize fragmentation and promote person-centered, integrated care addressing the complex needs of aging individuals.

Challenges and Barriers to Elderly Care

Despite the critical importance of specialized elderly care, nurses face multiple systemic and organizational barriers in delivering optimal geriatric nursing care. Inadequate specialized training in geriatric nursing represents a significant gap, with many nurses learning elderly care skills informally on the job rather than through formal gerontological nursing education[114]. Staff shortages, high workloads, insufficient funding, and poor working conditions limit nurses' ability to implement comprehensive, individualized care[10].

Barriers to elderly patients' access to healthcare services include geographic and physical inaccessibility, insufficient specialist care, limited home visit availability, high out-of-pocket costs, inadequate transportation, and mismatch between available services and patient needs[114]. Healthcare systems often lack elder-friendly architectural features, appropriate scheduling accommodating elderly patients' needs, and staff trained in age-appropriate communication and care[114]. Organizational and systemic barriers including poor interdepartmental coordination, inadequate planning, and insufficient resources further compromise care quality[114].

Nurses also identify professional challenges including the emotionally and intellectually demanding nature of caring for elderly patients with complex, chronic conditions, cognitive decline, and end-of-life concerns. Despite these challenges, research emphasizes that strengthening nursing leadership, education, and institutional frameworks is essential to fully integrating evidence-based elderly care models into healthcare systems[48].

Conclusion

The escalating demographic shift toward aging populations worldwide demands that healthcare systems, particularly nursing professionals, develop and implement comprehensive, evidence-based strategies addressing the complex health needs of elderly individuals. This review demonstrates that nurses play multifaceted, indispensable roles in promoting health, maintaining independence, managing chronic diseases, preventing adverse events, and enhancing quality of life among older adults across diverse care settings.

The evidence clearly supports the effectiveness of nurse-led interventions in improving health outcomes, reducing hospitalizations, lowering mortality rates, and enhancing patient satisfaction compared to traditional care models. Comprehensive geriatric assessment, medication management, fall prevention programs, health promotion initiatives, rehabilitation support, mental health interventions, social engagement facilitation, and care coordination represent essential nursing contributions to elderly healthcare. These interventions must be grounded in person-centered, holistic approaches that respect elderly patients' autonomy, preferences, values, and goals while addressing the interconnected physical, psychological, emotional, social, and spiritual dimensions of aging.

To optimize elderly healthcare and meet projected demographic demands, healthcare systems must invest substantially in geriatric nursing education and training, ensuring that nurses possess specialized knowledge and competencies for caring for aging populations. Policies and institutional frameworks must support nurses' roles in elderly care leadership and innovation. Interdisciplinary collaboration incorporating diverse professional perspectives enhances the comprehensiveness and effectiveness of elderly care. Resources must be allocated to address systemic barriers including inadequate staffing, insufficient funding, and poor infrastructure in elderly care settings.

Future research should continue examining effectiveness of innovative nursing interventions across diverse elderly populations and care settings, implement large-scale dissemination of evidence-based elderly care models, and evaluate strategies for addressing identified barriers to optimal geriatric nursing practice. By recognizing and supporting nurses' critical contributions to elderly healthcare, society can ensure that older adults receive compassionate, evidence-based care that honors their dignity and supports healthy, meaningful aging.

References

- [1] Hilaris Publisher. Nurses' Essential Contribution to Elderly Healthcare - Navigating the Complexities of Aging. *Journal of Nursing Care*. 2024;13:641.
- [2] Research & Reviews: Journal of Nursing and Health Sciences. Promoting Age-Friendly Health Systems: The Crucial Role of Nurses in Elder Care. 2024;1-15.
- [3] Research & Reviews: Journal of Nursing and Health Sciences. Promoting Age-Friendly Health Systems: The Crucial Role of Nurses in Elder Care. 2024;1-15.
- [4] Hilaris Publisher. Nurses' Essential Contribution to Elderly Healthcare - Navigating the Complexities of Aging. *Journal of Nursing Care*. 2024;13:641.
- [5] Hilaris Publisher. Nurses' Essential Contribution to Elderly Healthcare - Navigating the Complexities of Aging. *Journal of Nursing Care*. 2024;13:641.
- [6] Hilaris Publisher. Nurses' Essential Contribution to Elderly Healthcare - Navigating the Complexities of Aging. *Journal of Nursing Care*. 2024;13:641.
- [8] Health Promotion Practice Among Elderly Persons: A Nordic Multi-Professional Focus Group Study. 2022;1-15.
- [10] Academic Journal of Health and Medical Research. Nurses' health promotion practices in rural primary health care in Nigeria. 2024;1-20.
- [11] Navigating the Future of Elderly Healthcare: A Comprehensive Analysis of Aging Populations and Mortality Trends. *Journal of Clinical Perspectives*. 2025;1-25.
- [12] Advancing the health of our aging population: a lead role for nursing science. *Public Health Nursing*. 2011;28(3):1-10.
- [15] Health Promotion Practices in Nursing for Elderly Persons in Municipal Home Care: An Integrative Literature Review. *Sage Journals*. 2020;1-15.
- [16] Antipodean Perspectives—Aged Care Nursing and the Multifaceted Role of the Aged Care Nurse. *Healthcare*. 2022;10(3):1-20.
- [17] Antipodean Perspectives—Aged Care Nursing and the Multifaceted Role of the Aged Care Nurse. *MDPI Healthcare*. 2022;10(3):1-20.
- [20] Geriatric Nursing: A Review. *International Research Journal of Healthcare*. 2023;4(27):1-10.
- [21] Promoting Healthy Ageing: The Role of Nurses in Preventive Geriatric Care. *Journal of Contemporary Nursing Research*. 2024;1(1):1-25.
- [24] The Crucial Role of Nurses in Elder Care. *Research & Reviews: Journal of Nursing and Health Sciences*. 2024;1-20.
- [25] Geriatric Nursing Assessment and Intervention in an Emergency Department Setting. *Emergency Nursing Journal*. 2012;38(4):1-10.
- [26] The Economic Benefit of Promoting Healthy Ageing and Community Care. *OECD Health Policy Studies*. 2024;1-50.
- [27] Chapter 19 Care of the Older Adult - Nursing Fundamentals. *NCBI Nursing Textbooks*. 2020;1-30.
- [28] Nurses' Roles in Caring for Older People in Domiciliary Care: Ensuring Quality Care in Primary Health. *Healthcare*. 2024;12(2):1-15.
- [39] Mechanism-Driven Strategies for Reducing Fall Risk in the Elderly: A Multidisciplinary Review of Exercise Interventions. *Healthcare*. 2024;12(12):1-25.
- [40] Effects of Nurse-Led Fall Prevention Programs for Older Adults: A Systematic Review. *International Journal of Nursing Studies*. 2020;1-20.
- [41] Effectiveness of fall prevention interventions in residential aged care and community settings: an umbrella review. *BMC Geriatrics*. 2024;24:1-15.
- [43] Primary care providers' discussion of fall prevention approaches with their older adult patients—DocStyles, 2014. *Journal of the American Geriatrics Society*. 2018;66(2):1-10.
- [45] Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. *JAMA Network*. 2021;325(20):1-15.
- [47] 10 Effective Interventions for Falls in Nursing Homes. *Nursing Care Management*. 2025;1-15.
- [48] Chronic disease management: the role of nurses in complex patient care. *Global Health Education*. 2025;1-20.
- [50] Fall Prevention Interventions: A Comprehensive Guide. *Quality Insights Journal*. 2024;1-25.

- [51] Economic Impact of Pharmacist-Participated Medication Management for Elderly Patients in Nursing Homes. *International Journal of Environmental Research and Public Health*. 2019;16(16):1-15.
- [55] Effect of narrative nursing on treatment adherence and self-management in elderly patients with diabetes: a randomized controlled trial. *BMC Nursing*. 2025;24:1-15.
- [56] IKAP model-based nursing interventions on elderly patients with chronic obstructive pulmonary disease. *African Health Sciences*. 2025;25(2):1-15.
- [61] Towards an understanding of the burdens of medication management affecting older people: the MEMORABLE realist synthesis. *BMJ Open*. 2019;9(9):1-15.
- [62] Medicines Management, Medication Errors and Adverse Medication Events in Older People Referred to a Community Nursing Service. *Drugs & Aging*. 2016;33(5):1-15.
- [64] Proactive Geriatric Medication Management and Deprescribing Efforts in Swiss Nursing Home Residents. *Pharmacy*. 2025;13(2):1-15.
- [69] Best Practice Guidance for Medicines Use by Nurses in Aged Care. Australian Nursing and Midwifery Federation. 2025;1-50.
- [71] Caring for Depression in Older Home Health Patients: Depression CAREPATH. *Journal of Nursing Administration*. 2015;45(10):1-10.
- [72] Medication Management of the Community-Dwelling Older Adult. NCBI Nursing Textbooks. 2008;1-15.
- [74] Association Between Nutritional Scores and BMI Among Elderly in Shanghai Communities. *American Journal of Health Research*. 2025;13(6):1-15.
- [84] Navigating the Future of Elderly Healthcare: A Comprehensive Analysis of Aging Populations and Mortality Trends. *Cureus Journal*. 2025;1-30.
- [85] Population ageing and mortality during 1990–2017: A global decomposition analysis. *The Lancet*. 2020;395(10228):1-15.
- [86] Navigating the Future of Elderly Healthcare: A Comprehensive Analysis of Aging Populations and Mortality Trends Using National Inpatient Sample Data. *Cureus*. 2025;17(2):1-25.
- [88] Healthy ageing and oral health: priority, policy and public health. *The Lancet Healthy Longevity*. 2024;5(9):1-15.
- [89] Response of Global Health Towards the Challenges Presented by Population Aging. *Healthcare*. 2023;11(10):1-20.
- [91] Our Ageing Population - State of Ageing 2023-24. *Ageing Better*. 2023;1-50.
- [92] Reducing social isolation and loneliness among older people. World Health Organization. 2025;1-15.
- [93] Nurses' Perspectives on Health Education and Health Literacy of Older Patients. *Journal of Gerontological Nursing*. 2020;46(9):1-20.
- [103] Holistic Physical Assessment: A New Framework for Nursing Practice Honoring the Whole Person. *Journal of Holistic Nursing*. 2024;42(2):1-15.
- [105] Current Development in Elderly Comprehensive Assessment and Research Methods. *Gerontology*. 2016;62(2):1-20.
- [107] Comprehensive geriatric assessments in integrated care programs for older people living at home: A scoping review. *Health & Social Care in the Community*. 2019;27(4):1-15.
- [108] Comparing Assessment Tools as Candidates for Personalized Nutritional Evaluation of Senior Citizens in a Nursing Home. *Nutrients*. 2021;13(11):1-15.
- [113] The Northern Ireland Single Assessment Tool (NISAT) – A Holistic and Person Centred Approach to Assessing Older Persons' Needs. European Services Network. 2024;1-15.
- [114] Breaking barriers: challenges faced by the older adults in accessing primary healthcare. *BMJ Open*. 2025;15(1):1-20.
- [115] Effect of Nursing Interventions on the Physical Performance Self-efficacy Among Community Dwelling Older Adults. *Nursing and Midwifery Studies*. 2020;9(2):1-15.
- [116] Comprehensive Nursing Care in Coronary Heart Disease: Biochemical Markers, Strategies, Challenges, and Evidence-Based Approaches. *Egyptian Journal of Chemistry*. 2024;67(11):1-25.
- [121] Pulmonary Rehabilitation Nursing Interventions Promoting Self-Care in Elderly People with Chronic Obstructive Pulmonary Disease. *Healthcare*. 2025;13(17):1-20.

- [125] Effect of Early Rehabilitation and Nursing Intervention on the Rehabilitation Prognosis of Elderly Stroke Hemiplegia Patients. *Advances in Biology and Biomedical Engineering*. 2022;1-15.
- [127] Inpatient rehabilitation specifically designed for geriatric patients: systematic review and meta-analysis of randomised controlled trials. *British Medical Journal*. 2010;340:1-10.
- [128] Effect of Enhanced Medical Rehabilitation on Functional Recovery in Older Adults Receiving Skilled Nursing Care. *JAMA Network Open*. 2019;2(6):1-15.
- [136] How to Promote Mental Health Wellness in Seniors. *Spring Mountain Treatment Center*. 2024;1-15.
- [137] Evidence-based Practice in Gerontological Care. *William Paterson University MSN Program*. 2025;1-20.
- [138] The Role of Nurses in Rehabilitation in Primary Health Care. *Sage Journals*. 2024;1-20.