

The Role Of Nurses In Holistic Care In Cancer Patients

Anood Agla Friej Al Tarfai¹, Maha Khaled Al Anzi², Haya Surayhan Mansoor Albishi³, Mashael Farhan Warhan Alruwaili⁴, Safia Mohammed Naser Mahboob⁵, Hind Hassan Al Hazmi⁶, Amani Nazim Al Dhafiri⁷, Amani Obaid Al Ruwaili⁸, Salam Matar Fareej Al Banaqi⁹, Hana Saeed Al-Ghamdi¹⁰

1. *Nursing technician, Arar Women, Maternity and Children's Hospital, Northern Borders, Arar, Saudi Arabia*
2. *Nursing technician, Al Naseem South Health Center, Riyadh, Saudi Arabia*
3. *Nursing technician, MCH, Bisha, Saudi Arabia*
4. *Nursing technician, Suwair Hospital, Al Jouf Region, Saudi Arabia*
5. *Nursing technician, Al Shuhada South Health Center, Taif, Saudi Arabia*
6. *Nurse, Riyadh, Saudi Arabia*
7. *General Nursing technician, New Central Hospital, Hafar Al Batin, Saudi Arabia*
8. *Nursing technician, Central Hospital, Hafar Al Batin, Saudi Arabia*
9. *Nursing, Tarif Hospital, Tarif, Saudi Arabia*
10. *Nursing, Al-Suwaidi Health Center, Riyadh, Saudi Arabia*

ABSTRACT

Holistic care in oncology is an integrative approach that addresses the multifaceted nature of cancer, emphasizing the interconnectedness of physical, emotional, social, and spiritual dimensions of patient well-being. This study explores the critical role of nurses in delivering holistic care to cancer patients, focusing on their responsibilities in assessment, personalized care planning, and pain management. The patient-centered philosophy of holistic care necessitates active engagement and communication between nurses and patients, allowing for tailored interventions that align with individual needs and preferences. Utilizing frameworks such as the Bio-Psycho-Social Model, the study highlights how nurses can enhance patient quality of life and treatment adherence through comprehensive assessments that consider psychological and social factors alongside physiological symptoms. The review identifies key strategies and interventions employed by nurses in managing cancer-related pain and symptoms. Effective pain management is central to holistic care, with nurses utilizing both pharmacological and non-pharmacological methods. The study emphasizes the importance of thorough pain assessment and individualized pain management plans, incorporating complementary therapies such as mindfulness and physical therapies to provide comprehensive relief. However, the implementation of holistic

nursing care faces significant challenges, including time constraints, inadequate training in holistic practices, and cultural barriers. The fast-paced nature of oncology settings often prioritizes efficiency over comprehensive care, leading to fragmented patient experiences. Furthermore, the lack of education in holistic approaches limits nurses' ability to effectively address patients' diverse needs. The study underscores the necessity of integrating holistic care models into nursing curricula and ongoing professional development to equip nurses with the skills needed for effective patient engagement.

KEYWORDS: Nursing, quality of life, patients, oncology, nurses, world health organization.

1. Introduction

Holistic care in oncology represents a comprehensive approach that transcends the traditional biomedical model by emphasizing the intricate interplay between physical, emotional, social, and spiritual dimensions of a patient's well-being. Cancer is a multifaceted illness that affects not only the biological systems of the body but also engenders substantial psychological and social repercussions. This necessitates an integrative model of care that prioritizes the whole person rather than solely focusing on the tumor. Holistic care recognizes that patients experience cancer as a disease, but also as a life-altering event that engenders a spectrum of anxieties, fears, and uncertainties regarding their prognosis and identity [1].

The foundation of holistic care in oncology lies in its patient-centered philosophy. This approach necessitates the active engagement of healthcare providers, particularly nurses, in establishing therapeutic relationships that foster trust and open communication. By understanding patients' values, preferences, and unique circumstances, nurses can tailor interventions that align with the patient's goals and needs. This aligns with frameworks such as the Bio-Psycho-Social Model, which posits that a person's health is influenced by biological, psychological, and social factors. Implementing holistic care can enhance the patient's quality of life, alleviate distress, and promote better adherence to treatment regimens [2].

Crucially, holistic care incorporates diverse modalities to support patients. Beyond conventional medical management, complementary therapies such as mindfulness, physical exercise, nutritional counseling, and mental health support are increasingly recognized for their role in promoting well-being. For instance, mindfulness practices can significantly reduce anxiety and improve coping mechanisms in patients undergoing cancer treatment. Moreover, evidence suggests that integrative approaches may mitigate the side effects of therapies such as chemotherapy, thereby enhancing overall treatment tolerance [3].

Nurses serve as pivotal facilitators in the execution of holistic care. They are often at the forefront of patient interaction, providing emotional support, education, and symptom management. Their unique position allows them to holistically assess a patient's needs, identify areas requiring additional support, and coordinate care among multidisciplinary teams. This role is particularly vital in oncology, where the treatment process is often prolonged and multifactorial, requiring sustained oversight to ensure the patient's psychological and physical needs are met throughout the continuum of care. In addition to direct patient care, the role of nurses in holistic oncology extends to advocating for policy changes and healthcare practices that prioritize holistic approaches [4]. This can include championing for institutional resources that support comprehensive care initiatives, such as psychosocial support services and palliative care teams. By engaging in ongoing professional development, nurses can enhance their understanding of holistic care principles and integrate them into clinical practice effectively. Furthermore, there is a growing body of research that supports the efficacy of holistic care in improving outcomes for cancer patients. Studies indicate that patients receiving holistic care report higher satisfaction levels, improved emotional well-being, and even better clinical outcomes, challenging the traditional notion that there is a dichotomy between palliative approaches and curative intent. By addressing not only the physical aspects of cancer treatment but also the emotional and spiritual dimensions, nurses can help facilitate a more dignified and supportive care experience for patients [5].

Ultimately, as the landscape of oncology continues to evolve, the integration of holistic care will be paramount in addressing the complex needs of cancer patients. This paradigm shift towards a more encompassing understanding of care exemplifies the importance of viewing patients as whole individuals with diverse experiences. As such, the role of nurses in championing holistic care is indispensable in the quest to refine cancer care and enhance patient outcomes within this context [6].

Objectives:

The main objectives of this review are to:

1. Explore the roles and responsibilities of nurses in providing holistic care for cancer patients.
2. Determine the strategies and interventions used by nurses to manage pain and other symptoms effectively.
3. Assess the obstacles nurses face in implementing holistic care for cancer patients and potential solutions.

Nursing Responsibilities in Holistic Care:

Nursing responsibilities in holistic care, particularly for cancer patients,

encompass a wide range of duties that extend beyond the physical treatment of the disease. Holistic care focuses on the complete individual, integrating physical, emotional, social, and spiritual needs. Nurses play a pivotal role in this model, serving as advocates for patients and their families, as well as primary providers of care. One of the fundamental responsibilities of nurses in this context is the comprehensive assessment of patients. This involves not only the evaluation of physiological symptoms and treatments but also understanding the psychological and emotional states of patients [7]. Conducting holistic assessments helps nurses identify any unmet needs, potential barriers to treatment, and areas where additional support might be necessary. In addition to assessment, nurses are responsible for the development and implementation of personalized care plans that reflect the unique experiences, preferences, and needs of each patient. This individualized approach requires close collaboration with interdisciplinary teams, including oncologists, social workers, dietitians, and mental health professionals. By leveraging their unique insights into patients' daily lives, nurses can help devise interventions that promote better outcomes. For instance, they may incorporate alternative therapies such as art or music therapy and address lifestyle modifications, such as nutritional counseling, to foster a healing environment [8].

Education is another critical pillar of nursing responsibilities in holistic cancer care. Nurses serve as educators not only for patients but also for their families. They provide essential information regarding cancer treatment options, symptom management, and the side effects of therapy, helping families navigate the often- complex healthcare landscape. Furthermore, nurses are instrumental in teaching patients about self-care strategies that empower them to take an active role in their own healing [9]. This empowerment can include managing symptoms through non- pharmacological interventions, maintaining a cancer-fighting diet, and engaging in physical activity as tolerated. Emotional support is an integral part of nursing responsibilities in holistic care. Cancer diagnosis and treatment often lead to anxiety, depression, and fear for both patients and their families. Nurses are uniquely positioned to provide compassionate care that addresses these emotional layers. Simply being present, listening actively to patients' concerns, and facilitating open communication can significantly impact mental well-being. Additionally, nurses frequently serve as liaisons between patients and psychotherapy services, advocating for mental health resources when necessary [10].

Nurses also play a vital role in ensuring that patients' social needs are met. Many cancer patients may face social isolation due to their illness, which can be exacerbated by the physical and emotional toll of treatment. By recognizing the importance of social support systems, nurses can help patients connect with community resources, support groups, and other services that foster social engagement. This support serves not only as a means of emotional upliftment

but can also enhance adherence to treatment regimens and improve quality of life [11].

Spiritual care is another essential component of holistic nursing responsibilities. For many cancer patients, spirituality—whether through organized religion, personal beliefs, or a connection to nature—plays a critical role in coping with their illness. Nurses can facilitate spiritual care by offering a non-judgmental space for patients to express their beliefs and concerns. Moreover, they can collaborate with chaplains or spiritual care advisors to ensure that patients' spiritual needs are attended to. By respecting and integrating these beliefs into care plans, nurses can enhance patients' overall well-being and assist them in finding meaning throughout their cancer journey [12].

Strategies and Interventions used by Nurses in Pain Management and Symptom Control:

Pain management and symptom control in cancer patients are fundamental components of holistic care, particularly involving the role of nurses. Cancer-related pain can arise from the disease itself, treatment interventions, or a combination of both, thus necessitating a comprehensive approach to management. Nurses play a critical role in assessing and ensuring effective pain relief, significantly enhancing the quality of life for patients. Pain assessment is the cornerstone of effective pain management in cancer care. Nurses are often the first healthcare professionals to encounter patients, and their observations can greatly inform initial care decisions. Utilizing tools such as the numeric rating scale, the Wong-Baker Faces Pain Rating Scale, or more comprehensive assessment protocols, nurses can gauge the intensity, location, and character of the patient's pain. Beyond mere measurement, it is essential to appreciate that pain is a subjective experience influenced by psychological, social, and spiritual factors. Nurses are equipped to evaluate these dimensions and address them holistically [13].

Once pain is assessed, nurses are involved in formulating individualized pain management plans that may include pharmacological interventions. Pain medications range from non-opioid analgesics like acetaminophen and NSAIDs to stronger opioids that address severe pain. The World Health Organization's analgesic ladder serves as a framework for pain management, with nurses playing a vital role in titrating dosages, monitoring side effects, and assessing the effectiveness of pain relief interventions. Furthermore, education surrounding the safe use of these medications, especially opioids, is integral to their practice, particularly in preventing misuse and managing potential dependency issues [14]. In addition to pharmacological approaches, non-pharmacological strategies are pivotal in managing cancer pain, and nurses are central in their implementation. Techniques such as cognitive-behavioral therapy, relaxation techniques, and mindfulness have shown

promise in providing additional relief. Moreover, physical therapies, including massage, acupuncture, and guided imagery, are valuable adjuncts in a comprehensive pain management strategy. This integrative approach emphasizes the biopsychosocial model, echoing the holistic ethos of nursing care [15].

Symptom control in cancer patients extends beyond pain management to encompass a host of other distressing symptoms, such as fatigue, nausea, dyspnea, and anxiety. Nurses conduct thorough assessments to identify these symptoms early and intervene proactively. For instance, managing fatigue may involve not just pharmacological approaches but also incorporating energy conservation strategies and activity modifications into the care plan [16].

Nausea control is another critical aspect, especially in patients undergoing chemotherapy. Nurses are pivotal in recognizing the onset of nausea and administering antiemetic medications timely while also providing nutritional counseling and strategies to mitigate its impact, such as dietary modifications and meal timing adjustments. Similarly, in cases of dyspnea, nurses can help patients use breathing techniques, supplemental oxygen, or medications to alleviate distress while providing emotional support to manage the anxiety often associated with respiratory symptoms [17].

Challenges and Barriers in Holistic Nursing Care:

Holistic nursing care, which emphasizes the interconnection between physical, emotional, social, and spiritual well-being, presents numerous challenges and barriers, particularly in the context of cancer care. One significant challenge is the inadequacy of time. Nurses often face overwhelming caseloads in oncology settings, making it incredibly difficult to allocate sufficient time to assess and address the holistic needs of each patient. The fast-paced nature of healthcare environments prioritizes efficiency, which can often come at the expense of comprehensive care. As a result, patients may receive fragmented care that overlooks crucial aspects of their psychological and emotional states. Another barrier is the lack of training and education in holistic nursing practices [18]. While traditional nursing education provides a solid foundation in medical care and clinical skills, it often inadequately addresses the beneficial role of holistic approaches. Many nurses express a desire to implement holistic care strategies but do not feel equipped to do so due to insufficient training in complementary therapies, psychosocial interventions, and communication skills that foster deep patient engagement. For nurses to effectively assess and intervene in their patients' holistic needs, there must be an emphasis on integrating holistic care models into nursing curricula and ongoing professional training [19].

Cultural factors also play a significant role in the implementation of holistic care. Cancer patients often come from diverse cultural backgrounds, each with

unique beliefs and values regarding health, illness, and healing. Nurses may encounter cultural barriers that hinder the adoption of holistic practices or lead to misunderstandings about patients' health beliefs. Fostering a culturally competent approach requires not only awareness but also the skills necessary to navigate and appreciate these differences. This is compounded by the variability in communication styles and language barriers that may impact the nurse-patient relationship and the overall effectiveness of care [20].

Moreover, systemic organizational constraints can pose significant obstacles to holistic nursing. Hospitals and healthcare facilities often prioritize tangible outcomes and traditional medical metrics over holistic assessments. This pressure can dissuade nurses from investing time and resources into holistic care measures that might not yield immediate, quantifiable results. Policies that do not support or recognize the importance of holistic care often lead to resistance among nursing staff, who may feel compelled to adhere strictly to established clinical practices at the expense of a broader understanding of patient care. Additionally, the complexity of cancer itself introduces further challenges [21]. Cancer is not a single entity but a spectrum of diseases, each with its unique symptoms, treatments, and prognoses. The multifaceted nature of cancer can complicate assessments of holistic needs, as each patient's experience is affected by various factors, including the stage of the disease, the type of treatment they are receiving, and their individual coping mechanisms. The uniqueness of each cancer patient necessitates a highly individualized approach, which can be difficult to achieve without adequate institutional support and resources [22].

2. Conclusion:

In conclusion, the implementation of holistic care in oncology is essential for addressing the multifaceted needs of cancer patients. By recognizing the intricate interplay of physical, emotional, social, and spiritual dimensions, nurses can create a comprehensive care environment that enhances patient well-being and quality of life. The active engagement of nurses in assessing, planning, and executing individualized care plans fosters therapeutic relationships that are pivotal for effective healing. Despite the challenges posed by time constraints, lack of training, and cultural barriers, the integration of holistic practices into nursing education and professional development is crucial. By equipping nurses with the necessary skills and knowledge, healthcare systems can promote a more patient-centered approach that not only alleviates symptoms but also addresses the broader psychosocial aspects of cancer care. Ultimately, embracing holistic care in oncology represents a significant step toward transforming the patient experience, ensuring that care is as comprehensive and compassionate as the individuals it serves.

References

1. Strandberg EL, Ovhed I, Borgquist L, Wilhelmsson S. The perceived meaning of a (w) holistic view among general practitioners and district nurses in Swedish primary care: A qualitative study. *BMC Fam Pract.* 2007;8:8. doi: 10.1186/1471-2296-8-8. [DOI] [PMC free article] [PubMed] [Google Scholar]
2. Filej B, Kaucic BM. Holistic nursing practice. *South East Eur Health Sci J.* 2013;3:1–7. [Google Scholar]
3. Rebollo P, Alvarez-Ude F, Valdes C, Estebanez C. Different evaluations of the health related quality of life in dialysis patients. *J Nephrol.* 2004;17(6):833–40. [PubMed] [Google Scholar]
4. Tallis K. How to Improve The Quality of Life in Patients Living with End Stage Renal Failure. *Renal Society of Australia Journal.* 2005;1(1):18–24. [Google Scholar]
5. Zhao H, Kanda K, Liu SJ, Mao XY. Evaluation of quality of life in Chinese patients with gynaecological cancer: assessments by patients and nurses. *Int J Nurs Pract.* 2003;9(1):40–8. doi: 10.1046/j.1440-172x.2003.00401.x. [DOI] [PubMed] [Google Scholar]
6. Selimen D, Andsoy II. The importance of a holistic approach during the perioperative period. *AORN J.* 2011;93:482–7. doi: 10.1016/j.aorn.2010.09.029. [DOI] [PubMed] [Google Scholar]
7. Thompson EA, Quinn T, Paterson C, Cooke H, McQuigan D, Butters G. Outcome measures for holistic, complex interventions within the palliative care setting. *Complement Ther Clin Pract.* 2008;14:25–32. doi: 10.1016/j.ctcp.2007.10.001. [DOI] [PubMed] [Google Scholar]
8. Newshan G. Development and evaluation of an inpatient [correction of impatient] holistic nursing care services department. *Complement Ther Nurs Midwifery.* 2004;10:168–74. doi: 10.1016/j.ctnm.2004.01.003. [DOI] [PubMed] [Google Scholar]
9. Fisch MJ, Titzer ML, Kristeller JL, Shen J, Loehrer PJ, Jung SH, et al. Assessment of quality of life in outpatients with advanced cancer: the accuracy of clinician estimations and the relevance of spiritual well-being--a Hoosier Oncology Group Study. *J Clin Oncol.* 2003;21(14):2754–9. doi: 10.1200/JCO.2003.06.093. [DOI] [PubMed] [Google Scholar]
10. Tjale AA, Bruce J. A concept analysis of holistic nursing care in paediatric nursing. *Curationis.* 2007;30:45–52. doi: 10.4102/curationis.v30i4.1116. [DOI] [PubMed] [Google Scholar]
11. Keegan L. Holistic nursing. An approach to patient and self-care. *AORN J.* 1987;46:499–506. doi: 10.1016/s0001-2092(07)66461-8. [DOI] [PubMed] [Google Scholar]
12. King MO, Gates MF. Perceived barriers to holistic nursing in undergraduate nursing programs. *Explore (NY)* 2006;2:334–8. doi:

- 10.1016/j.explore.2006.04.002. [DOI] [PubMed] [Google Scholar]
13. Olive P. The holistic nursing care of patients with minor injuries attending the A and E department. *Accid Emerg Nurs*. 2003;11:27–32. doi: 10.1016/s0965-2302(02)00130-3. [DOI] [PubMed] [Google Scholar]
14. Ahmadi f, Nobahar M, Alhani F, Fallahi M. Retired nurse's view about effective factors on quality of nursing care. *Hayat J Fac Nurs Midwifery Tehran Univ Med Sci*. 2011;17:24–34. [Google Scholar]
15. King MO, Gates MF. Perceived barriers to holistic nursing in undergraduate nursing programs. *Explore (NY)* 2006;2:334–8. doi: 10.1016/j.explore.2006.04.002. [DOI] [PubMed] [Google Scholar]
16. Xiang H. A holistic approach to preventing and treating depression. *Int J Biosci Altern Holist Med*. 2010;1:42–7. [Google Scholar]
17. Henderson S. Factors impacting on nurses' transference of theoretical knowledge of holistic care into clinical practice. *Nurse Educ Pract*. 2002;2:244–50. doi: 10.1016/s1471-5953(02)00020-3. [DOI] [PubMed] [Google Scholar]
18. Bahrami M. Do nurses provide holistic care to cancer patients? *Iran J Nurs Midwifery Res*. 2010;15:245–51. [PMC free article] [PubMed] [Google Scholar]
19. Ebrahimi H, Torabizadeh C, Mohammadi E, Valizadeh S. Patients' perception of dignity in Iranian healthcare settings: A qualitative content analysis. *J Med Ethics*. 2012;38:723–8. doi: 10.1136/medethics-2011-100396. [DOI] [PubMed] [Google Scholar]
20. Bullington J, Fagerberg I. The fuzzy concept of 'holistic care': A critical examination. *Scand J Caring Sci*. 2013;27:493–4. doi: 10.1111/scs.12053. [DOI] [PubMed] [Google Scholar]
21. Willison KD. Integrating Swedish massage therapy with primary health care initiatives as part of a holistic nursing approach. *Complement Ther Med*. 2006;14:254–60. doi: 10.1016/j.ctim.2005.11.001. [DOI] [PubMed] [Google Scholar]
22. Berg GV, Sarvimäki A. A holistic-existential approach to health promotion. *Scand J Caring Sci*. 2003;17:384–91. doi: 10.1046/j.0283-9318.2003.00240.x. [DOI] [PubMed] [Google Scholar]